

NYLON 6

| Name | Description |
|------------------------|---|
| SLOVAMID 6 BT | PA 6 basic type |
| SLOVAMID 6 GF 15 | PA 6 reinforced with glass fiber |
| SLOVAMID 6 GF 20 | PA 6 reinforced with glass fiber |
| SLOVAMID 6 GF 25 | PA 6 reinforced with glass fiber |
| SLOVAMID 6 GF 30 | PA 6 reinforced with glass fiber |
| SLOVAMID 6 GF 30 | PA 6 reinforced with glass fiber |
| SLOVAMID 6 GF 35 | PA 6 reinforced with glass fiber |
| SLOVAMID 6 GF 5 FRA 5 | PA 6 reinforced with glass fiber, flame retarded |
| SLOVAMID 6 GF 15 FRA 5 | PA 6 reinforced with glass fiber, flame retarded |
| SLOVAMID 6 GF 25 FRA 5 | PA 6 reinforced with glass fiber, flame retarded |
| SLOVAMID 6 GF 30 TS | PA 6 reinforced with glass fiber, heat stabilized |
| SLOVAMID 6 FRB 4 | PA 6 flame retarded |
| SLOVAMID 6 FRC 2 | PA 6 flame retarded |
| SLOVAMID 6 GF 10 GB 20 | PA 6 reinforced with glass fiber and glass beads |
| SLOVAMID 6 OB | PA 6 optically brightened |
| SLOVAMID 6 GF 10 | PA 6 reinforced with glass fiber |
| SLOVAMID 6 GF 10 FRC 2 | PA 6 reinforced with glass fiber, flame retarded |
| SLOVAMID 6 HI | PA 6 with improved impact strength |

NYLON 6

| | |
|---------------------------------|---|
| SLOVAMID 6 FRC 2 LS | PA 6 flame retarded, UV stabilized |
| SLOVAMID 6 GB 20 | PA 6 reinforced with glass beads |
| SLOVAMID 6 T 30 | PA 6 reinforced with mineral filler |
| SLOVAMID 6 G 10 | PA 6 reinforced with graphite |
| SLOVAMID 6 G 5 | PA 6 reinforced with graphite |
| SLOVAMID 6 GF 20 GB 10 | PA 6 reinforced with glass fiber and glass beads |
| SLOVAMID 6 GF 60 | PA 6 reinforced with glass fiber |
| SLOVAMID 6 GF 45 | PA 6 reinforced with glass fiber |
| SLOVAMID 6 BT TS | PA 6 basic type, heat stabilized |
| SLOVAMID 6 GB 30 | PA 6 reinforced with glass beads |
| SLOVAMID 6 FRM 1 | PA 6 flame retarded |
| SLOVAMID 6 GF 10 GB 20 TS | PA 6 reinforced with glass fiber and glass beads, heat stabilized |
| SLOVAMID 6 GF 30 HI | PA 6 reinforced with glass fiber, improved impact strength |
| SLOVAMID 6 GF 15 HI | PA 6 reinforced with glass fiber, improved impact strength |
| SLOVAMID 6 GF 10 T 20 TS 002 | PA 6 reinforced with glass fiber and mineral filler, heat stabilized |
| SLOVAMID 6/66 CF 30 | PA 6/66 reinforced with carbon fiber |
| SLOVAMID 6 GF 25 FRG 5 | PA 6 reinforced with glass fiber, flame retarded |
| SLOVAMID 6 GF 20 TS | PA 6 reinforced with glass fiber, heat stabilized |
| SLOVAMID 6 FRC 2 LI | PA 6 flame retarded, with improved impact strength |

NYLON 6

| | |
|------------------------------|--|
| SLOVAMID 6 GMI | PA 6 with improved impact strength |
| SLOVAMID 6 NG GF 30 LS | PA 6 reinforced with glass fiber, UV stabilized |
| SLOVAMID 6 NG GF 30 | PA 6 reinforced with glass fiber |
| SLOVAMID 6 NG GF 30 TS | PA 6 reinforced with glass fiber, heat stabilized |
| SLOVAMID 6 GF 33 | PA 6 reinforced with glass fiber |
| SLOVAMID 6 NG GF 20 HLS | PA 6 reinforced with glass fiber, UV stabilized, hydrolysis resisted |
| SLOVAMID 6/66 GF 50 | PA 6/66 reinforced with glass fiber |
| SLOVAMID 6 NG GF 45 | PA 6 reinforced with glass fiber |
| SLOVAMID 6 NG1 GF 20 HLS | PA 6 reinforced with glass fiber, UV stabilized, hydrolysis resisted |
| SLOVAMID 6 GF 30 FRG 5 | PA 6 reinforced with glass fiber, flame retarded |
| SLOVAMID 6 NG GF 15 HI | PA 6 reinforced with glass fiber, improved impact strength |
| SLOVAMID 6 GF 25 FRG 5 | PA 6 reinforced with glass fiber, flame retarded |
| SLOVAMID 6 NG GF 45 SGF | PA 6 reinforced with glass fiber |
| SLOVAMID 6 SGF 30 | PA 6 reinforced with glass fiber |
| SLOVAMID 6 NG GF 20 | PA 6 reinforced with glass fiber |
| SLOVAMID 6 GF 65 | PA 6 reinforced with glass fiber |
| SLOVAMID 6 CF 20 | PA 6 reinforced with carbon fiber |
| SLOVAMID 6/66 GF 30 FRG 5 TS | PA 6/66 reinforced with glass fiber, flame retarded, heat stabilized |

NYLON 6

| | |
|--------------------------|---|
| SLOVAMID 6/66 FRC 3 TS | PA 6/66 flame retarded, heat stabilized |
| SLOVAMID 6 C 30 LS | PA 6 reinforced with mineral filler, UV stabilized |
| SLOVAMID 6 M 40 TS | PA 6 reinforced with mineral filler, heat stabilized |
| SLOVAMID 6 GF 15 HI TS | PA 6 reinforced with glass fiber, improved impact strength, heat stabilized |
| SLOVAMID 6 GF 25 T 15 TS | PA 6 reinforced with glass fiber and mineral filler, heat stabilized |
| SLOVAMID 6/66C T 20 HI | PA 6/66 copolymer reinforced with mineral, improved impact strength |
| SLOVAMID 6/66 C GF 30 HI | PA 6/66 C reinforced with glass fiber, improved impact strength |